

Belts**SKF classical V-belts**


Example:	P H G	Z 3 6,5
SKF Prefix		
Z	10 mm (belt width) wrapped/envelope type	
A	13 mm (belt width) wrapped/envelope type	
B	17 mm (belt width) wrapped/envelope type	
C	22 mm (belt width) wrapped/envelope type	
D	32 mm (belt width) wrapped/envelope type	
ZX	10 mm (belt width) cogged raw edge type	
AX	13 mm (belt width) cogged raw edge type	
BX	17 mm (belt width) cogged raw edge type	
CX	22 mm (belt width) cogged raw edge type	
36,5	Belt length in inches	

SKF (narrow) wedge belts


Example:	P H G	S P Z 13 4 7
SKF Prefix		
SPZ	10 mm (belt width) wrapped/envelope type	
SPA	13 mm (belt width) wrapped/envelope type	
SPB	16 mm (belt width) wrapped/envelope type	
SPC	22 mm (belt width) wrapped/envelope type	
XPZ	10 mm (belt width) cogged raw edge type	
XPA	13 mm (belt width) cogged raw edge type	
XPB	16 mm (belt width) cogged raw edge type	
XPC	22 mm (belt width) cogged raw edge type	
3V	Wrapped/envelope belt with 3V/9J section (belt width)	
5V	Wrapped/envelope belt with 5V/15J section (belt width)	
8V	Wrapped/envelope belt with 8V/25J section (belt width)	
3VX	Cogged raw edge belt with 3VX/9NX section (belt width)	
5VX	Cogged raw edge belt with 5VX/15NX section (belt width)	
1347	Belt length in millimeters (SPZ, SPA, SPB, SPC, XPZ, XPA, XPB, XPC)	
250	Belt length in inches (3V, 5V, 8V, 3VX, 5VX)	

Belts

SKF HiTD belts




SKF hex belts




Belts

SKF classical timing belts




SKF metric timing belts



Belts

SKF ribbed belts



SKF banded belts

